
## Acoustic Design Group, Inc.

## **COMP10 Series Subwoofers**

- 175 WRMS CONTINOUS POWER, 350 WATTS PEAK POWER
- 2" 4 LAYER VOICE COIL 7 MIL ANODIZED ALUMINUM FORMER FOR HEAT DISSIPATION AND POWER HANDLING
- 50 oz. MAGNET FOR MAXIMUM MAGNETIC FLUX
- VENTED POLE PIECE FOR BETTER VOICE COIL COOLING AND HIGHER POWER HANDLING.
- CONE MATERIAL IS EXCEPTIONALLY STIFF FOR MASSIVE POWER HANDLING CAPACITY, DYNAMICS AND TRANSIENT RE-SPONSE
- 3 YEAR WARRANTY...FROM MANUFACTURERS DEFECTS (SEE DETAILS) when installed by an authorized ADG Dealer.



Technical Data	COMP1O	COMP10-4
Nominal Diameter (Inch / mm)	10 / 254	10 / 254
Magnet Weight (oz. / g)	50 / 1420	50 / 1420
Frequency Range (Hz.)	35 - 2,500	35 - 2,500
Nominal Impedance (z)(Ohms)	8	4
DC Resistance ( <b>R</b> <sub>E</sub> )(Ohms) Inductance Le (mH @ 1000 Hz.)	5.4 2.589	3.1 1.408
Resonance Frequency (fe)(Hz.)	38	42
Mechanical Q Factor ( <b>Q</b> <sub>MS</sub> )	3.367	3.032
Electrical Q Factor (Q <sub>ES</sub> )	0.378	0.432
Total Q Factor ( <b>Q</b> <sub>7S</sub> )	0.340	0.378
Effective Cone Area (S <sub>D</sub> )(Sq M)	0.033	0.033
Equivalent Air Volume (V <sub>AS</sub> )(Litre)	43	32
Compliance ( <b>C</b> <sub>MS</sub> )(uM/N)	277	203
Moving Mass ( <b>M</b> <sub>Ms</sub> )(grams)	61.9	88.2
Voice Coil Diameter (in. / mm) Number of layers	2 / 51 4	2 / 51 3
Voice Coil Winding Height (in./mm)	0.75 / 19	0.79 / 20
Voice Coil Gap Height (in./mm)	0.39 / 10	0.39 / 10
Voice Coil Former Material	8 mil. anodized aluminum	8 mil. anodized aluminum
Force Factor ( <b>BI</b> )(Tesla/Meter)	14.6	11.46
Linear Excursion (Xmax)(in. / mm)	0.25 / 6.35	0.25 / 6.35
Sensitivity (SPL)(dB. 1W/1M)	91	91
Operating Power ( <b>P</b> <sub>E</sub> )(Watt R.M.S)	175	175

Yo, just so you know, we reserve the right to make specification changes and product improvements without notice.